

## PREPORUKA – PRIMENA

 <b>KingBo</b> 0,2-0,3%	<b>VEGARD</b> 0,2-0,4%	<b>CHITOSAN</b> 0,2-0,4%	<b>APOSTHOLE</b> 1,5-2 l/ha	<b>PERPERIN</b> 1,5-2 l/ha	
	m.moljac m.muva m.medić	paunovo oko			
	biljne vaši bela leptirasta vaš trips tuta apsoluta grinje sovice	alternaria plamenjača pepelnica botritis virusi septoria	alternaria plamenjača pepelnica botritis virusi septoria	sovice biljne vaši tuta virusi	botritis bakterioze
	biljne vaši bela leptirasta vaš grinje trips sovice	plamenjača pepelnica	plamenjača pepelnica	sovice biljne vaši pepelnica	pepelnica botritis
	biljne vaši trips sovice grinje k.plamenac	plamenjača bakterioze virusi	plamenjača bakterioze	plamenjača biljne vaši sovice virusi k.plamenac	bakterioze
	zlatica vaši mojac tripsi	plamenjača Alternaria Rizoktonija	plamenjača Alternaria	moljac vaši plamenjača virusi	bakterioze
	moljac vaši kupusari sovice tripsi	plamenjača alternaria suva trulež-Phoma pepelnica botritis	plamenjača alternaria suva trulež-Phoma pepelnica botritis	sovice moljac vaši Botrytis	bakterioze crna trulež
	biljne vaši tripsi grinje tresetna mušica	Phytophtora Rhizotonia Sclerotonia Fusarium Alternaria	Phytophtora Rhizotonia Sclerotonia Fusarium Alternaria Nematode	biljne vaši pepelnica Botrytis	bakterioze Rhizotonia Alternaria

\* Kingbo, suzbijanje vaši 2-3 puta tokom 5 -7 dana

\* Vegerd -plamenjača kod krastavca pre pojave simptoma ili odmah po pojavi prvih simptoma kod salatara, a kod kornišona od pojave prvih pravih listova pa do kraja berbe

**Pratiti izveštavanja PIS** (prognozno izveštajne službe) za lokalno područje !

## PREPORUKA – PRIMENA

	<b>KingBo</b> 0,2-0,3%	<b>VEGARD</b> 0,2-0,4%	<b>CHITOSAN</b> 0,2-0,4%	<b>APOSTHOLE</b> 1,5-2 l/ha	<b>PERPER IN</b> 1,5-2 l/ha
	biljne vaši obični paučinar trips	alternaria spp. septoria	alternaria spp. septoria	lisne vaši	
	biljne vaši grinje žižak buvač sovice	Antraknoza Botrytis Sclerotinia Uromyces appendiculatus (rđa)	Aschochyta Botrytis Sclerotinia Rđa bakterioze	lisne vaši sovice	bakterioze preventivno
	lukova muva tripsi buvači lisne vaši grinje	Peronospora destructor	Peronospora destructor (plamenjača)	lisne vaši	plamenjača
	biljne vaši bela leptirasta vaš grinje sovice	pepelnica Peronospora Botrytis	pepelnica Peronospora Botrytis Atraknoza	pepelnica	bakterioze Acidovorax** Botrytis -2l/ha
	biljne vaši Lema Skladišne štetošine Sitophilus i Rhyzopertha	septoria rđa pepelnica	septoria rđa pepelnica	rđa	pepelnica rđa
	biljne vaši trips sovice grinje	pepelnica septoria Plamenjača	pepelnica Botrytis Sclerotinia septoria	lisne vaši sovice pepelnica rđa	pepelnica plamenjača Erwinia
	Šampinjonska mušica <b>3-4ml/m2</b> prvo zalianje nakon pokrivanja (prva dezinfekcija) obično drugog dana	Verticilium spp. Dactillium spp - paučinasta plesan <b>5ml/m2</b>	nematode <b>2-4ml/m2</b> (obično 2 dana) nakon pokrivanja (prvo zalianje) Mikogona (Mycogona perniciosa) <b>3ml/m2</b> , neposredno pre ili 5-6 dana nakon pokrivanja (obavezno I tretiranje pokrivke)	Verticilium spp. Trichoderma spp 2-3 dana pre prekoavanja <b>5ml/ml</b> dvokratno; Šampinjonska mušica	Zelena plesan <b>5ml/m2</b> jednokratno

\* Kingbo, suzbijanje vaši 2-3 puta tokom 5 -7 dana

\*\* Može smanjiti napad

Pratiti izveštavanja PIS (prognozno izveštajne službe) za lokalno područje !